



QuanTtest Protein Standards Set

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Revision Date: 01/05/2016

Date of issue: 01/05/2016

Version: 1.0

SECTION 1: IDENTIFICATION

1.1. Product Identifier

Product Name: QuanTtest Protein Standards Set

Product Code: 3410-02

1.2. Intended Use of the Product

Laboratory Quality Control Material. For professional use only.

1.3. Name, Address, and Telephone of the Responsible Party

Company

Quantimetrix Corp.

2005 Manhattan Beach Blvd.

Redondo Beach, CA 90278

310-536-0006

www.quantimetrix.com

1.4. Emergency Telephone Number

Emergency Number : 310-536-0006

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

GHS-US classification

Not classified

2.2. Label Elements

GHS-US Labeling No labeling applicable

2.3. Other Hazards

Hazards Not Otherwise Classified (HNOC): Contact with acids liberates very toxic gas

2.4. Unknown Acute Toxicity (GHS-US) No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable

3.2. Mixture

Name	Product Identifier	% (w/w)	GHS-US classification
Ethylene glycol	(CAS No) 107-21-1	7.5	Acute Tox. 4 (Oral), H302
Boric acid (H ₃ BO ₃)	(CAS No) 10043-35-3	0.31	Not classified
Sodium azide	(CAS No) 26628-22-8	0.095	Acute Tox. 2 (Oral), H300 Acute Tox. 1 (Dermal), H310 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of First Aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: When symptoms occur: go into open air and ventilate suspected area.

Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes.

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Ingestion: Rinse mouth. Do NOT induce vomiting.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

General: May cause an allergic reaction in sensitive individuals.

QuanTtest Protein Standards Set

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Inhalation: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.

Skin Contact: May cause sensitisation of susceptible persons by skin contact.

Eye Contact: Direct contact with the eyes is likely irritating.

Ingestion: If a large quantity has been ingested : May cause nausea, vomiting, and diarrhea.

Chronic Symptoms: Not available

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Carbon dioxide, dry chemical powder, alcohol foam, polymer foam, water spray, fog.

Unsuitable Extinguishing Media: None known.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not flammable.

Explosion Hazard: Product is not explosive.

Reactivity: Contact with acids liberates very toxic gas.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire. Under fire conditions, hazardous fumes will be present.

Firefighting Instructions: Exercise caution when fighting any chemical fire.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: The product is not flammable. However, under fire conditions, decomposition may produce carbon monoxide, carbon dioxide, chloride and hydrocarbons.

Reference to Other Sections

Refer to section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid breathing vapor, mist, or spray. Avoid contact with skin, eyes, or clothing.

6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area.

6.2. Environmental Precautions

Prevent entry to sewers and public waters.

6.3. Methods and Material for Containment and Cleaning Up

For Containment: Absorb and/or contain spill with inert material, then place in suitable container.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely.

6.4. Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use.

Incompatible Materials: Acids.

7.3. Specific End Use(s)

Laboratory Quality Control Material. For professional use only.

QuanTtest Protein Standards Set

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government.

Sodium azide (26628-22-8)		
USA ACGIH	ACGIH Ceiling (mg/m ³)	0.29 mg/m ³
USA ACGIH	ACGIH Ceiling (ppm)	0.11 ppm (vapor)
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen
USA NIOSH	NIOSH REL (ceiling) (mg/m ³)	0.3 mg/m ³
USA NIOSH	NIOSH REL (ceiling) (ppm)	0.1 ppm
Alberta	OEL Ceiling (mg/m ³)	0.29 mg/m ³
Alberta	OEL Ceiling (ppm)	0.11 ppm
Alberta	OEL STEL (mg/m ³)	0.3 mg/m ³
British Columbia	OEL Ceiling (mg/m ³)	0.29 mg/m ³
British Columbia	OEL Ceiling (ppm)	0.11 ppm
Manitoba	OEL Ceiling (mg/m ³)	0.29 mg/m ³
Manitoba	OEL Ceiling (ppm)	0.11 ppm (vapor)
New Brunswick	OEL Ceiling (mg/m ³)	0.29 mg/m ³
New Brunswick	OEL Ceiling (ppm)	0.11 ppm (vapor)
Newfoundland & Labrador	OEL Ceiling (mg/m ³)	0.29 mg/m ³
Newfoundland & Labrador	OEL Ceiling (ppm)	0.11 ppm (vapor)
Nova Scotia	OEL Ceiling (mg/m ³)	0.29 mg/m ³
Nova Scotia	OEL Ceiling (ppm)	0.11 ppm (vapor)
Nunavut	OEL Ceiling (mg/m ³)	0.27 mg/m ³
Nunavut	OEL Ceiling (ppm)	0.1 ppm
Northwest Territories	OEL Ceiling (mg/m ³)	0.29 mg/m ³
Northwest Territories	OEL Ceiling (ppm)	0.11 ppm
Ontario	OEL Ceiling (mg/m ³)	0.29 mg/m ³
Ontario	OEL Ceiling (ppm)	0.11 ppm
Prince Edward Island	OEL Ceiling (mg/m ³)	0.29 mg/m ³
Prince Edward Island	OEL Ceiling (ppm)	0.11 ppm (vapor)
Québec	PLAFOND (mg/m ³)	0.3 mg/m ³
Québec	PLAFOND (ppm)	0.11 ppm
Saskatchewan	OEL Ceiling (mg/m ³)	0.29 mg/m ³
Saskatchewan	OEL Ceiling (ppm)	0.11 ppm
Yukon	OEL Ceiling (mg/m ³)	0.3 mg/m ³
Yukon	OEL Ceiling (ppm)	0.1 ppm
Ethylene glycol (107-21-1)		
Mexico	OEL Ceiling (mg/m ³)	100 mg/m ³ (aerosol)
USA ACGIH	ACGIH Ceiling (mg/m ³)	100 mg/m ³ (aerosol only)
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen
Alberta	OEL Ceiling (mg/m ³)	100 mg/m ³
British Columbia	OEL Ceiling (mg/m ³)	100 mg/m ³ (aerosol)
British Columbia	OEL Ceiling (ppm)	50 ppm (vapour)
British Columbia	OEL STEL (mg/m ³)	20 mg/m ³ (particulate)
British Columbia	OEL TWA (mg/m ³)	10 mg/m ³ (particulate)
Manitoba	OEL Ceiling (mg/m ³)	100 mg/m ³ (aerosol only)
New Brunswick	OEL Ceiling (mg/m ³)	100 mg/m ³ (aerosol)
Newfoundland & Labrador	OEL Ceiling (mg/m ³)	100 mg/m ³ (aerosol only)
Nova Scotia	OEL Ceiling (mg/m ³)	100 mg/m ³ (aerosol only)
Nunavut	OEL Ceiling (mg/m ³)	127 mg/m ³ (vapour)

QuanTtest Protein Standards Set

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Nunavut	OEL Ceiling (ppm)	50 ppm (vapour)
Nunavut	OEL STEL (mg/m ³)	20 mg/m ³ (particulate)
Nunavut	OEL TWA (mg/m ³)	10 mg/m ³ (particulate)
Northwest Territories	OEL Ceiling (mg/m ³)	100 mg/m ³ (aerosol)
Ontario	OEL Ceiling (mg/m ³)	100 mg/m ³ (aerosol only)
Prince Edward Island	OEL Ceiling (mg/m ³)	100 mg/m ³ (aerosol only)
Québec	PLAFOND (mg/m ³)	127 mg/m ³ (mist and vapour)
Québec	PLAFOND (ppm)	50 ppm (mist and vapour)
Saskatchewan	OEL Ceiling (mg/m ³)	100 mg/m ³ (aerosol)
Yukon	OEL STEL (mg/m ³)	20 mg/m ³ (particulate) 325 mg/m ³ (vapour)
Yukon	OEL STEL (ppm)	10 ppm (particulate) 125 ppm (vapour)
Yukon	OEL TWA (mg/m ³)	10 mg/m ³ (particulate) 250 mg/m ³ (vapour)
Yukon	OEL TWA (ppm)	100 ppm (vapour)
Boric acid (H₃BO₃) (10043-35-3)		
USA ACGIH	ACGIH TWA (mg/m ³)	2 mg/m ³ (inhalable fraction)
USA ACGIH	ACGIH STEL (mg/m ³)	6 mg/m ³ (inhalable fraction)
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen
British Columbia	OEL STEL (mg/m ³)	6 mg/m ³ (inhalable)
British Columbia	OEL TWA (mg/m ³)	2 mg/m ³ (inhalable)
Manitoba	OEL STEL (mg/m ³)	6 mg/m ³ (inhalable fraction)
Manitoba	OEL TWA (mg/m ³)	2 mg/m ³ (inhalable fraction)
Newfoundland & Labrador	OEL STEL (mg/m ³)	6 mg/m ³ (inhalable fraction)
Newfoundland & Labrador	OEL TWA (mg/m ³)	2 mg/m ³ (inhalable fraction)
Nova Scotia	OEL STEL (mg/m ³)	6 mg/m ³ (inhalable fraction)
Nova Scotia	OEL TWA (mg/m ³)	2 mg/m ³ (inhalable fraction)
Northwest Territories	OEL STEL (mg/m ³)	6 mg/m ³ (inhalable fraction)
Northwest Territories	OEL TWA (mg/m ³)	2 mg/m ³ (inhalable fraction)
Ontario	OEL STEL (mg/m ³)	6 mg/m ³ (inhalable)
Ontario	OEL TWA (mg/m ³)	2 mg/m ³ (inhalable)
Prince Edward Island	OEL STEL (mg/m ³)	6 mg/m ³ (inhalable fraction)
Prince Edward Island	OEL TWA (mg/m ³)	2 mg/m ³ (inhalable fraction)
Saskatchewan	OEL STEL (mg/m ³)	6 mg/m ³ (inhalable fraction)
Saskatchewan	OEL TWA (mg/m ³)	2 mg/m ³ (inhalable fraction)

8.2. Exposure Controls

Appropriate Engineering Controls: Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.

Personal Protective Equipment: Gloves. Protective clothing.



Materials for Protective Clothing: Chemically resistant fabrics and materials.

Hand Protection: Wear chemically resistant protective gloves.

Eye Protection: None required under normal conditions of use.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: Use a NIOSH-approved respirator or self-contained breathing apparatus whenever exposure may exceed established Occupational Exposure Limits.

Other Information: When using, do not eat, drink or smoke.

QuanTtest Protein Standards Set

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State	: Liquid
Appearance	: Clear to light yellow
Odor	: Odorless
Odor Threshold	: Not available
pH	: 7.4
Evaporation Rate	: Not available
Melting Point	: Not available
Freezing Point	: Not available
Boiling Point	: Not available
Flash Point	: Not available
Auto-ignition Temperature	: Not available
Decomposition Temperature	: Not available
Flammability (solid, gas)	: Not available
Lower Flammable Limit	: Not available
Upper Flammable Limit	: Not available
Vapor Pressure	: Not available
Relative Vapor Density at 20 °C	: Not available
Specific Gravity	: 1
Solubility	: Not available
Partition Coefficient: N-Octanol/Water	: Not available
Viscosity	: Not available
Explosion Data – Sensitivity to Mechanical Impact	: Not expected to present an explosion hazard due to mechanical impact.
Explosion Data – Sensitivity to Static Discharge	: Not expected to present an explosion hazard due to static discharge.

SECTION 10: STABILITY AND REACTIVITY

- 10.1. **Reactivity:** Contact with acids liberates very toxic gas.
- 10.2. **Chemical Stability:** Product is stable.
- 10.3. **Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.
- 10.4. **Conditions to Avoid:** Direct sunlight. Extremely high or low temperatures.
- 10.5. **Incompatible Materials:** Acids.
- 10.6. **Hazardous Decomposition Products:** The product is not flammable. However, under fire conditions, decomposition may produce carbon monoxide, carbon dioxide, chloride and hydrocarbons.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects - Product

- Acute Toxicity:** Not classified
- LD50 and LC50 Data:** Not available
- Skin Corrosion/Irritation:** Not classified
- Serious Eye Damage/Irritation:** Not classified
- Respiratory or Skin Sensitization:** Not classified
- Germ Cell Mutagenicity:** Not classified
- Teratogenicity:** Not available
- Carcinogenicity:** Not classified
- Specific Target Organ Toxicity (Repeated Exposure):** Not classified
- Reproductive Toxicity:** Not classified
- Specific Target Organ Toxicity (Single Exposure):** Not classified
- Aspiration Hazard:** Not classified
- Symptoms/Injuries After Inhalation:** Not expected to present a significant inhalation hazard under anticipated conditions of normal use.

Quanttest Protein Standards Set

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Symptoms/Injuries After Skin Contact: May cause sensitisation of susceptible persons by skin contact.

Symptoms/Injuries After Eye Contact: Direct contact with the eyes is likely irritating.

Symptoms/Injuries After Ingestion: If a large quantity has been ingested : May cause nausea, vomiting, and diarrhea.

11.2. Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Sodium azide (26628-22-8)	
LD50 Oral Rat	27 mg/kg
LD50 Dermal Rabbit	20 mg/kg
Ethylene glycol (107-21-1)	
LD50 Dermal Rat	10600 mg/kg
Boric acid (H₃BO₃) (10043-35-3)	
LD50 Oral Rat	2660 mg/kg
LD50 Dermal Rabbit	> 2000 mg/kg
LC50 Inhalation Rat	> 0.16 mg/l/4h

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Sodium azide (26628-22-8)	
LC50 Fish 1	0.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
LC 50 Fish 2	0.7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)
ErC50 (algae)	0.348 mg/l
Ethylene glycol (107-21-1)	
LC50 Fish 1	41000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
EC50 Daphnia 1	46300 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC 50 Fish 2	14 - 18 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
Boric acid (H₃BO₃) (10043-35-3)	
LC50 Fish 1	447 mg/l
EC50 Daphnia 1	115 - 153 mg/l (Exposure time: 48 h - Species: Daphnia magna)

12.2. Persistence and Degradability

Quanttest Protein Standards Set	
Persistence and Degradability	Not established.

12.3. Bioaccumulative Potential

Quanttest Protein Standards Set	
Bioaccumulative Potential	Not established.
Ethylene glycol (107-21-1)	
Log Pow	-1.93
Boric acid (H₃BO₃) (10043-35-3)	
BCF Fish 1	0
Log Pow	-0.757 (at 25 °C)

12.4. Mobility in Soil

Not available

12.5. Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, and international regulations.

QuanTtest Protein Standards Set

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

SECTION 14: TRANSPORT INFORMATION

- 14.1. In Accordance with DOT** Not regulated for transport
14.2. In Accordance with IMDG Not regulated for transport
14.3. In Accordance with IATA Not regulated for transport
14.4. In Accordance with TDG Not regulated for transport

SECTION 15: REGULATORY INFORMATION

15.1. US Federal Regulations

Sodium azide (26628-22-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on the United States SARA Section 302

Subject to reporting requirements of United States SARA Section 313

SARA Section 302 Threshold Planning Quantity (TPQ)	500 (This material is a reactive solid. The TPQ does not default to 10000 pounds for non-powder, non-molten, non-solution form)
---	---

SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Delayed (chronic) health hazard
--	--

SARA Section 313 - Emission Reporting	1.0 %
--	-------

Ethylene glycol (107-21-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Subject to reporting requirements of United States SARA Section 313

EPA TSCA Regulatory Flag	Y2 - Y2 - indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule
---------------------------------	---

SARA Section 313 - Emission Reporting	1.0 %
--	-------

Boric acid (H₃BO₃) (10043-35-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. US State Regulations

Ethylene glycol (107-21-1)

U.S. - California - Proposition 65 - Developmental Toxicity	WARNING: This product contains chemicals known to the State of California to cause birth defects.
--	---

Sodium azide (26628-22-8)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

U.S. - Pennsylvania - RTK (Right to Know) List

Ethylene glycol (107-21-1)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

U.S. - Pennsylvania - RTK (Right to Know) List

15.3. Canadian Regulations

QuanTtest Protein Standards Set

WHMIS Classification	Uncontrolled product according to WHMIS classification criteria
-----------------------------	---

Sodium azide (26628-22-8)

Listed on the Canadian DSL (Domestic Substances List)

Listed on the Canadian IDL (Ingredient Disclosure List)

IDL Concentration 1 %

WHMIS Classification	Class D Division 1 Subdivision A - Very toxic material causing immediate and serious toxic effects
-----------------------------	--

Quantest Protein Standards Set

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Ethylene glycol (107-21-1)	
Listed on the Canadian DSL (Domestic Substances List)	
Listed on the Canadian IDL (Ingredient Disclosure List)	
IDL Concentration 1 %	
WHMIS Classification	Class D Division 1 Subdivision B - Toxic material causing immediate and serious toxic effects Class D Division 2 Subdivision A - Very toxic material causing other toxic effects
Boric acid (H₃BO₃) (10043-35-3)	
Listed on the Canadian DSL (Domestic Substances List)	
Listed on the Canadian IDL (Ingredient Disclosure List)	
IDL Concentration 1 %	
WHMIS Classification	Class D Division 2 Subdivision A - Very toxic material causing other toxic effects

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision Date : 01/05/2016
Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

Acute Tox. 1 (Dermal)	Acute toxicity (dermal) Category 1
Acute Tox. 2 (Oral)	Acute toxicity (oral) Category 2
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
H300	Fatal if swallowed
H302	Harmful if swallowed
H310	Fatal in contact with skin
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

Party Responsible for the Preparation of This Document

Quantimetrix Corp.
2005 Manhattan Beach Blvd.
Redondo Beach, CA 90278
310-536-0006

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

NA GHS SDS