

---

## Flowflex® Plus RSV + Flu A/B + COVID-19 Home Test – Extraction Buffer

---

### SAFETY DATA SHEET

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

---

#### SECTION 1: IDENTIFICATION

---

##### 1.1 Identification

**Product form:** Mixture.

**Product name:** Flowflex® Plus RSV + Flu A/B + COVID-19 Home Test (Extraction Buffer)

**Product code:** REF L03A-R1445, REF L03A-R1555, REF L03A-R1645, REF L03A-R1745

##### 1.2 Recommended use and restrictions on use.

**Recommended use:** For medical diagnostic use.

**Restrictions on use:** Restricted to users aged 14 years and older.

##### 1.3 Supplier:

Name: ACON Laboratories, Inc.

Address: 5850 Oberlin Drive, # 340  
San Diego, CA 92121, USA.

Customer Support: 1-800-838-9502.

E-mail: info@aconlabs.com

##### 1.4 Emergency telephone number: 1-800-838-9502

---

#### SECTION 2: HAZARD(S) IDENTIFICATION

---

##### 2.1 Classification of substance or mixture.

Skin irritant (Category 2), H315.

Eye irritant (Category 2), H320.

##### 2.2 GHS Label elements, including precautionary statements.

H315: Causes skin irritation.

H320: Causes eye irritation.

##### 2.3 Other hazards which do not result in classification.

No additional information available.

##### 2.4 Unknown acute toxicity (GHS US).

Not applicable.

---

#### SECTION 3: COMPOSITION /INFORMATION ON INGREDIENTS

---

##### 3.1 Substance.

Not Applicable.

---

## Flowflex® Plus RSV + Flu A/B + COVID-19 Home Test – Extraction Buffer

---

### 3.2 Mixtures.

Hazard Category (mixture)	GHS Hazard Statement for mixture	Labeling of Harm(s)	Hazardous Ingredients (%)
2	Skin irritation	Causes skin irritation (H315)	Proclin 300 (0.1%) Tris (1%)
2	Eye irritation	Causes eye irritation (H320)	Proclin 300 (0.1%) Tris (1%)

---

## SECTION 4: FIRST AID MEASURES

---

### 4.1 Description of first aid measures.

First-aid measures after inhalation: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled. Give artificial respiration with the aid of a pocket mask equipped with a one-way valve or proper respiratory medical device. Get immediate medical attention.

First-aid measures after skin contact: Immediately remove all contaminated clothing. Wash skin with plenty of water for at least 15 minutes. Get immediate medical attention.

First-aid measures after eye contact: Immediately flush eyes with plenty of water for at least 15 minutes.

First-aid measures after ingestion: Clean mouth with water. Do not induce vomiting due to risk of aspiration. Pulmonary failure is possible after aspiration of vomit. Call a poison center/doctor/physician immediately.

### 4.2 Most important symptoms and effects (acute and delayed).

Eye irritation, skin irritation.

### 4.3 Immediate medical attention and special treatment, if necessary.

Treat symptomatically. If irritation persists, seek medical advice, <https://www.poisonhelp.org> or 1-800-222-1222

---

## SECTION 5: FIREFIGHTING MEASURES

---

### 5.1 Suitable (and unsuitable) extinguishing media.

Suitable extinguishing media: Water spray. Dry powder. Foam.

### 5.2 Special hazards arising from the chemical.

Reactivity: The product is non-reactive under normal conditions of use, storage and transport.

### 5.3 Special protective equipment and precautions for firefighters.

Protection during firefighting: Do not attempt to take action without suitable protective equipment.

Self-contained breathing apparatus. Complete protective clothing.

---

## Flowflex® Plus RSV + Flu A/B + COVID-19 Home Test – Extraction Buffer

---

---

### SECTION 6: ACCIDENTAL RELEASE MEASURES

---

#### 6.1 Personal precautions, protective equipment and emergency procedures.

##### 6.1.1. For non-emergency personnel.

Emergency procedures: Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders.

Protective equipment: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2 Environmental precautions.

Avoid release to the environment.

#### 6.3 Methods and material for containment and cleaning up.

Methods for cleaning up: Take up liquid spill into absorbent material.

Other information: Dispose of materials or solid residues at an authorized site.

Reference to other sections: For further information refer to section 13.

---

### SECTION 7: HANDLING AND STORAGE

---

#### 7.1 Precautions for safe handling.

Precautions for safe handling: Ensure good ventilation of the work areas. Wear personal protective equipment.

Hygiene measures: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2 Conditions for safe storage, including any incompatibilities.

Storage conditions: Product must only be kept in the original packaging. Product should be stored in a clean place at temperatures between 36-86°F (2-30°C). Keep cool.

---

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

---

#### 8.1 Control parameters.

No additional information available.

#### 8.2 Appropriate engineering controls.

Appropriate engineering controls: Ensure good ventilation of the work areas.

Environmental exposure controls: Avoid release to the environment.

#### 8.3 Individual protection measures/Personal protective equipment

##### Personal protective equipment:

Gloves. Safety glasses. Protective clothing.

##### Hand protection:

Protective gloves

---

## Flowflex® Plus RSV + Flu A/B + COVID-19 Home Test – Extraction Buffer

---

**Eye protection:**

Safety glasses.

**Skin and body protection:**

Wear suitable protective clothing.

**Respiratory protection:**

A risk assessment is required.

**Personal protective equipment symbol(s):**



---

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

---

### 9.1 Information on basic physical and chemical properties

Physical state	: Liquid
Color	: No data available
Odor	: Not applicable
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: Not applicable
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: Not applicable
Explosive properties	: No data available
Oxidizing properties	: No data available

---

## Flowflex® Plus RSV + Flu A/B + COVID-19 Home Test – Extraction Buffer

---

### 9.2 Other information

No additional information available.

---

## SECTION 10: STABILITY AND REACTIVITY

---

### 10.1 Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4 Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5 Incompatible material

No additional information available.

### 10.6 Hazardous decomposition products.

Not established.

---

## SECTION 11: TOXICOLOGICAL INFORMATION

---

### 11.1 Information on toxicological effects.

Acute toxicity (oral): Not classified.

Acute toxicity (dermal): Not classified.

Acute toxicity (inhalation): Not classified.

Skin corrosion/irritation: Not classified.

Serious eye damage/irritation: Not classified.

Respiratory or skin sensitization: Not classified.

Germ cell mutagenicity: Not classified.

Carcinogenicity: Not classified.

Reproductive toxicity: Not classified.

Specific target organ toxicity – single exposure: Not classified.

Specific target organ toxicity – repeated exposure: Not classified.

Aspiration hazard: Not classified.

Viscosity, kinematic: No data available.



---

## Flowflex® Plus RSV + Flu A/B + COVID-19 Home Test – Extraction Buffer

---

---

### SECTION 12: ECOLOGICAL INFORMATION

---

#### 12.1 Toxicity.

Ecology – general: No additional data.

#### 12.2 Persistence and degradability.

No additional information available.

#### 12.3 Bioaccumulative potential.

No additional information available.

#### 12.4 Mobility in soil.

No additional information available.

#### 12.5 Other adverse effects.

No additional information available.

---

### SECTION 13: DISPOSAL CONSIDERATIONS

---

#### 13.1 Disposal methods.

Waste treatment methods: Dispose of contents/container in accordance with licensed collector's sorting instructions.

---

### SECTION 14: TRANSPORT INFORMATION

---

14.1 Department of Transportation (DOT).

14.2 In accordance with DOT.

14.3 Other information : No supplementary information available.

14.4 Transportation of Dangerous Goods.

14.5 Transport by sea.

14.6 Air transport

---

### SECTION 15: REGULATORY INFORMATION

---

#### 15.1 US Federal regulations.

No additional information available.

#### 15.2 International regulations.

CANADA: No additional information available.

EU-Regulations: No additional information available.

National regulations: No additional information available.

#### 15.3 US State regulations.

No additional information available.



---

## Flowflex® Plus RSV + Flu A/B + COVID-19 Home Test – Extraction Buffer

---

---

### SECTION 16: OTHER INFORMATION

---

- 16.1** This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200. Indication of changes: Date of issue. 2024 05 21.
- 16.2** SDS US (GHS HazCom 2012).
- 16.3** This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

---

### SECTION 17: HISTORY

---

DCR #	Initiator	Ver.	Summary of Changes
25388	L. Zhong	02	Increase Proclin300 concentration from 0.02% to 0.1%
25365	L. Zhong	01	New Document.